
# **MB-Gateway** Sit back, relax and enjoy your climate






#### Act smarter! To control your climate, choose M-Gateway by Salda UAB:

- > Remote air handling unit's control via PC through the home network or internet;
- > A three-level menu: user/service/adjuster;
- > User friendly, multilingual and up-to-date interface.

MB-Gateway enables ventilation units, based on control technology produced by Salda, to connect through TCP/IP to the wide range of control devices.



Suitable Air handling units based on controllers:

SMARTY 3X P	RIS EKO 3.0	
SMARTY 3X VEL/VER	RIS EC 3.0	
RIRS EKO 3.0	RIS 3.0	Called Control of the second s
<b>RIRS 3.0</b>		

# CONTROL OPTIONS DEPEND ON CONTROL BOARD TYPE:




## TECHNICAL FUNCTIONS:

- > TCP/IP Modbus gateway;
- > IPV4 protocol;
- > WEB server;
- > FTP server;
- > Building of Modbus commands using HTTP requests;
- > Authorized connection;

### DIMENSIONS:

> Automatic data communication between Modbus units;

- > Updating of the module firmware using MicroSD memory card or FTP client;
- RT clock;
- > Galvanically insulated RS485 communication line.



# BASIC INSTALLATION DIAGRAM OF THE PRODUCT:







Scan code and go to MB Gateway Scan code and download firmware.

#### More information? Find it there:



Ragainės g. 100 LT-78109 Šiauliai, Lithuania





office@salda.lt www.salda.lt

